NSN 5945-00-717-2253

Rotary Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-717-2253

| Overall Length: |
|--|
| 7.468 inches |
| Overall Diameter: |
| 2.406 inches |
| Mounting Configuration: |
| Two 0.172 in. Diameter mtg holes spaced 1.375 in. C to c |
| Structural Design: |
| Sectional |
| Dc Operating Voltage Rating In Volts: |
| Between 20.0 and 30.0 |
| Contact Current Type: |
| Dc |
| Contact Maximum Voltage Rating In Volts: |
| 220.0 |
| Contact Current Rating At Maximum Rated Voltage: |
| 2.0 amperes resistive |
| Contact Maximum Rated Current: |
| 5.0 amperes resistive |
| Contact Voltage Rating At Maximum Rated Current: |
| 110.0 |
| Coil Terminal Quantity: |
| 2 |
| Common Terminal Quantity: |
| 0 |
| Reset Facility Feature: |
| Not provided |
| Rotation Direction For Which Designed: |
| Clockwise |
| Coil Dc Resistance: |
| 7.72 ohms |
| Section Quantity: |
| 2 |
| Coil Winding Quantity: |
| 1 |
| Winding Characteristic: |
| Single wound untapped |
| Shaft Rotation In Deg: |
| 35.0 |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5945-00-717-2253

Rotary Relay - Page 2 of 2

Demilitarization:

No

Fiig:

T142-s

