## NSN 5945-00-734-3956

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-734-3956

Thread Class:
2a mounting facility stud
Body Style:
Base end actuator
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.250 inches
Body Diameter:
1.922 inches
Body Height:
1.110 inches
Case Material:
Steel
Case Surface Treatment:
Cadmium
Environmental Protection:
Any acceptable
Maximum Operating Temp:
14.0 degrees celsius
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
112.00 ohms
Duty Type:
Intermittent
Terminal Location:
Circumference
Electric Power Rating:
28.0 watts
Voltage Rating In Volts:
50.0 dc
Mounting Facility Type And Quantity:
2 threaded stud
Current Rating:
500.0 milliamperes
Torque Rating And Type:
0.54 inch-pounds starting and 0.06 inch-pounds end
Actuator Stroke Type:
Rotary
Power Takeoff Connection Type:
Plain

## **NSN 5945-00-734-3956** Electrical Solenoid - Page 2 of 2

Fiig: A134a0



Thread Size:
0.164 inches mounting facility stud
Mounting Facility Pattern:
Two position in-line
Rotation Direction And Energizing Stroke In Angular Deg:
25.0 clockwise
Thread Series Designator:
Unc mounting facility stud
Terminal Type And Quantity:
2 wire lead
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization: