NSN 5945-00-740-1253

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-740-1253
Thread Class:
2a single mounting facility
Thread Length:
0.360 inches single mounting facility and 0.390 inches single mounting facility
Overall Length:
2.890 inches
Overall Height:
1.450 inches
Overall Width:
1.675 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.923 inches single mounting facility and 0.953 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
3 threaded stud single mounting facility
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Time Delay:
57.00 seconds fixed operate time and 1.30 minutes fixed operate time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.172 inches single mounting facility and 1.202 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
30.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac inductive load
Special Test Features:
Navord od36190
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
14 wire hook all functions

Navord od31690

Reference Number Differentiating Characteristics:

NSN 5945-00-740-1253

Electromagnetic Relay - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300