NSN 5945-00-751-4730



Electromagnetic Relay - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-00-751-4730 **Overall Length:** 0.790 inches **Overall Height:** 1.080 inches **Overall Width:** 0.360 inches **Case Material:** Metal **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged **Contact Material:** Silver **Contact Surface Treatment:** Gold **Winding Quantity: Purpose For Which Designed:** General **Coil Quantity:** Winding Dc Resistance Rating: 550.0 ohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 1 plug-in terminal single mounting facility Storage Type: General purpose warehouse **Features Provided:** Polarized **Cubic Measure:** 0.307 cubic inches

Nonpile-up Main Contact Arrangement: 2 pole, double throw, one position momentary Time Delay: 0.005 seconds fixed operate and release time Operating Voltage Rating And Type At Specificationified Temp: 24.0 volts dc 25 degrees celsius single winding

NSN 5945-00-751-4730

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300