## NSN 5945-00-768-0120

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-768-0120

**Thread Class:** 2a single mounting facility **Overall Length:** 2.875 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.696 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 1.696 inches single mounting facility **Overall Height:** 1.031 inches **Overall Width:** 1.031 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 4.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility **Features Provided:** Polarized and latching contacts **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, double throw, one position momentary **Operating Current Rating And Type:** 1.0 milliamperes dc all windings **Operating Voltage Rating And Type At Specificationified Temp:** 10.0 volts dc 25 degrees celsius all windings Main Contact Load Current Rating At Maximum Rated Voltage: 500.0 milliamperes ac resistive load and 500.0 milliamperes dc resistive load

115.0 ac and 28.0 dc

## **Thread Series Designator:**

**Main Contact Maximum Voltage Rating In Volts:** 

Unc single mounting facility

## NSN 5945-00-768-0120

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

7 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300