

View Online at <https://aerobasegroup.com/nsn/5945-00-773-3392>

**Overall Length:**

4.630 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

4.000 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

4.500 inches single mounting facility

**Overall Height:**

3.880 inches

**Overall Width:**

5.060 inches

**Environmental Protection:**

Dustproof

**Unthreaded Mounting Hole Diameter:**

0.196 inches single mounting facility

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

92.0 ohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

3 pole, single throw, normally open, momentary action

**Nonpile-up Auxiliary Contact Arrangement:**

1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action and 1 pole, double throw, one position momentary

**Auxiliary Contact Maximum Voltage Rating In Volts:**

28.0 dc

**Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

200.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

208.0 ac

**Auxiliary Contact Load Current Rating At Maximum Rated Voltage:**

5.0 amperes dc resistive load

**Special Features:**

Automatic integral switch opens to cut-in second winding to increase resistance for holding

**Terminal Type And Quantity:**

12 screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300