NSN 5945-00-780-6060

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-780-6060 **Thread Class:** 2a mounting facility bushing **Body Style:** Cylindrical frame **Body Diameter:** 1.312 inches **Body Length: 2.749 inches Case Material:** Steel **Case Surface Treatment:** Cadmium **Environmental Protection:** Dustproof and explosion proof **Connector Manufacturer Code:** 71468 **Connector Manufacturer Part Number:** Gs02-10sl-4p-111 **Maximum Operating Temp:** 160.0 degrees fahrenheit **Actuator Diameter:** 0.250 inches **Inclosure Type:** Fully enclosed **Magnetic Coil Quantity:** 1 **Duty Type:** Continuous **Terminal Location:** End opposite actuator **Voltage Rating In Volts: Mounting Facility Type And Quantity:** 1 threaded bushing **Current Rating:** 1.2 amperes Thready Qty Per Inch (tpi): 16 mounting facility bushing **Actuator Stroke Type:**

Push **Linear Force Delivered:** 7.00 pounds

NSN 5945-00-780-6060 Electrical Solenoid - Page 2 of 2



| Power Takeoff Connection Type: |
|--|
| Flatted end |
| Energizing Stroke Maximum Length: |
| 0.030 inches |
| Thread Size: |
| 0.750 inches mounting facility bushing |
| Thread Series Designator: |
| Unf mounting facility bushing |
| Terminal Type And Quantity: |
| 1 connector, receptacle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A134a0