## NSN 5945-00-780-7923

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-780-7923

#### **Overall Length:**

1.180 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.000 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.125 inches single mounting facility

#### **Overall Height:**

1.060 inches

#### **Overall Width:**

0.400 inches

**Environmental Protection:** 

Hermetic

**Unthreaded Mounting Hole Diameter:** 

0.096 inches single mounting facility

#### Winding Quantity:

1

### Coil Quantity:

1

Winding Dc Resistance Rating:

600.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### **Features Provided:**

Polarized

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Time Delay:

0.006 seconds fixed operate and release time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

28.0 dc

#### **Terminal Type And Quantity:**

8 pin all functions

#### Fsc Application Data (non-core):

Relays, armature; except engine

# NSN 5945-00-780-7923

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

