

View Online at <https://aerobasegroup.com/nsn/5945-00-793-1952>

**Thread Class:**

2a mounting facility stud

**Thread Direction:**

Right-hand mounting facility stud

**Body Style:**

Base end actuator

**Body Diameter:**

Between 1.822 inches and 1.953 inches

**Body Height:**

Between 1.090 inches and 1.100 inches

**Case Material:**

Steel

**Case Surface Treatment:**

Cadmium

**Environmental Protection:**

Any acceptable

**Connector Manufacturer Code:**

18876

**Connector Manufacturer Part Number:**

9155718

**Maximum Operating Temp:**

85.0 degrees celsius

**Fragility Factor:**

Moderately rugged

**Actuator Diameter:**

Between 0.249 inches and 0.251 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Electrical Resistance:**

3.20 ohms

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Voltage Rating In Volts:**

28.0 ac

**Mounting Facility Type And Quantity:**

1 threaded stud

**Current Rating:**

1.8 amperes

**Storage Type:**

General purpose warehouse

**Cubic Measure:**

3.539 cubic inches

**Thready Qty Per Inch (tpi):**

32 mounting facility stud

**Actuator Stroke Type:**

Rotary

**Power Takeoff Connection Type:**

Plain-drilled

**Thread Size:**

0.164 inches mounting facility stud

**Mounting Facility Pattern:**

Single position

**Rotation Direction And Energizing Stroke In Angular Deg:**

90.0 counterclockwise

**Thread Series Designator:**

Unc mounting facility stud

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0