## NSN 5945-00-803-3799

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-803-3799

| Thread Class:  |
|--|
| 2a single mounting facility  |
| Overall Length:  |
| 0.860 inches   |
| Center To Center Distance Between Mounting Facilities Parallel To Length |
| 0.468 inches single mounting facility                                    |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.220 inches single mounting facility                                    |
| Overall Height:  |
| 0.360 inches   |
| Overall Width:   |
| 0.790 inches   |
| Winding Quantity:  |
| 1  |
| Coil Quantity:   |
| 1  |
| Winding Dc Resistance Rating:  |
| 30.0 ohms single winding   |
| Duty Type:   |
| Continuous   |
| Mounting Facility Type And Quantity:                                     |
| 2 threaded stud single mounting facility                                 |
| Pile-up Main Contact Form Arrangement:                                   |
| 2c   |
| Thread Size:   |
| 0.112 inches single mounting facility                                    |
| Mounting Facility Pattern:   |
| Diagonal single mounting facility  |
| Operating Voltage Rating And Type At Specificationified Temp:            |
| 4.0 volts dc 25 degrees celsius single winding                           |
| Main Contact Load Current Rating At Maximum Rated Voltage:               |
| 2.0 amperes dc resistive load  |
| Main Contact Maximum Voltage Rating In Volts:                            |
| 32.0 dc  |
| Thread Series Designator:  |
| Unc single mounting facility   |
| Terminal Type And Quantity:  |
| 8 pin all functions  |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |

--

## NSN 5945-00-803-3799

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300