

View Online at <https://aerobasegroup.com/nsn/5945-00-807-3360>

**Thread Class:**

2a mounting facility stud

**Body Style:**

Base end actuator

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.250 inches

**Body Diameter:**

1.875 inches

**Body Height:**

1.203 inches

**Case Material:**

Steel

**Case Surface Treatment:**

Zinc

**Actuator Diameter:**

Between 0.250 inches and 0.251 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Electrical Resistance:**

986.00 ohms

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Voltage Rating In Volts:**

150.0 dc

**Mounting Facility Type And Quantity:**

2 threaded stud

**Torque Rating And Type:**

2.60 inch-pounds starting and 4.41 inch-pounds end

**Thready Qty Per Inch (tpi):**

32 mounting facility stud

**Actuator Stroke Type:**

Rotary

**Power Takeoff Connection Type:**

Plain

**Thread Size:**

0.164 inches mounting facility stud

**Mounting Facility Pattern:**

Two position in-line

**Rotation Direction And Energizing Stroke In Angular Deg:**

25.0 clockwise

**Special Features:**

Surface treatment document and classification: baqq-z-325, type 1, class 3

**Surface Treatment Specification:**

Qq-z-325, type 1, class 3 federal specification single treatment response

**Thread Series Designator:**

Unc mounting facility stud

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0