# NSN 5945-00-807-3360

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-807-3360

# Thread Class:

2a mounting facility stud

## Body Style:

Base end actuator

# Center To Center Distance Between Mounting Facilities Parallel To Width:

1.250 inches

# Body Diameter:

1.875 inches

# **Body Height:**

1.203 inches

# Case Material:

Steel

# Case Surface Treatment:

Zinc

#### Actuator Diameter:

Between 0.250 inches and 0.251 inches

#### Inclosure Type:

Fully enclosed

# Magnetic Coil Quantity:

1

## Electrical Resistance:

986.00 ohms

## Duty Type:

Continuous

## **Terminal Location:**

Circumference

## Voltage Rating In Volts:

150.0 dc

## Mounting Facility Type And Quantity:

2 threaded stud

## Torque Rating And Type:

2.60 inch-pounds starting and 4.41 inch-pounds end

## Thready Qty Per Inch (tpi):

32 mounting facility stud

#### Actuator Stroke Type:

Rotary

## Power Takeoff Connection Type:

Plain

# Thread Size:

0.164 inches mounting facility stud

# Mounting Facility Pattern:

Two position in-line

# NSN 5945-00-807-3360

Electrical Solenoid - Page 2 of 2



### Rotation Direction And Energizing Stroke In Angular Deg:

25.0 clockwise

#### **Special Features:**

Surface treatment document and classification: baqq-z-325, type 1, class 3

#### Surface Treatment Specification:

Qq-z-325, type 1, class 3 federal specification single treatment response

#### Thread Series Designator:

Unc mounting facility stud

#### **Terminal Type And Quantity:**

2 wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A134a0