## NSN 5945-00-808-9756

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-808-9756

Thread Class:	
2a single mounting facility	
Thread Direction:	
Right-hand single mounting facility	
Overall Length:	
1.344 inches	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
0.500 inches single mounting facility	
Overall Height:	
1.921 inches	
Overall Width:	
0.953 inches	
Case Material:	
Steel, corrosion resisting	
Environmental Protection:	
Hermetic	
Fragility Factor:	
Moderately rugged	
Contact Material:	
Silver	
End Application:	
Type no. T-195/grc-19	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
280.0 ohms single winding	
Duty Type:	
Continuous	
Arc Quenching Method:	
Air	
Mounting Facility Type And Quantity:	
3 threaded stud single mounting facility	
Storage Type:	
General purpose warehouse	
Cubic Measure:	
2.446 cubic inches	
Thready Qty Per Inch (tpi):	
40 single mounting facility	

## NSN 5945-00-808-9756

Electromagnetic Relay - Page 2 of 2



Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.015 seconds fixed operate time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.000 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
32.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
3.0 amperes ac resistive load and 3.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
8 wire hook all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A03300