NSN 5945-00-811-1393

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-811-1393

Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.812 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.562 inches single mounting facility
Overall Height:
1.781 inches
Overall Width:
1.312 inches
Case Material:
Metal
Environmental Protection:
Hermetic and shock resistant and vibration resistant
Fragility Factor:
Moderately rugged
Frequency In Hertz:
60.0
Winding Quantity:
2
Purpose For Which Designed:
General
Coil Quantity:
2
Winding Dc Resistance Rating:
2.635 kilohms all windings
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Coil voltage suppression and latching contacts and polarized
Cubic Measure:
4.234 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility

Thread Size:

0.138 inches single mounting facility

NSN 5945-00-811-1393

Electromagnetic Relay - Page 2 of 2



Mounting Facility Pattern: In-line single mounting facility

Nonpile-up Main Contact Arrangement:

6 pole, double throw, one position momentary

Time Delay:

0.01 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 5.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 29.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

20 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300