## NSN 5945-00-821-2983

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-821-2983

#### **Overall Length:**

1.330 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

0.281 inches single mounting facility

#### **Overall Height:**

1.245 inches

#### **Overall Width:**

0.450 inches

**Environmental Protection:** 

Hermetic

**Unthreaded Mounting Hole Diameter:** 

0.120 inches single mounting facility

#### Winding Quantity:

1

### Coil Quantity:

1

#### Winding Dc Resistance Rating:

600.0 ohms single winding

#### Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### **Features Provided:**

Coil voltage suppression and polarized

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Time Delay:

0.015 seconds fixed release time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

0.03 milliamperes dc resistive load

#### Main Contact Maximum Voltage Rating In Volts:

0.03 dc

#### **Test Data Document:**

37695-165011 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

### Terminal Type And Quantity:

8 tab, solder lug all functions

# NSN 5945-00-821-2983

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

