

View Online at <https://aerobasegroup.com/nsn/5945-00-823-2154>

Thread Class:

2a single mounting facility

Overall Length:

1.313 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.562 inches single mounting facility

Overall Diameter:

1.188 inches

Environmental Protection:

Hermetic

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

200.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Pile-up Main Contact Form Arrangement:

6c

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Operating Current Rating And Type:

132.0 milliamperes dc single winding

Time Delay:

0.001 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

20 pin all functions

Fsc Application Data (non-core):

A. Except engine

Reference Number Differentiating Characteristics:

Quality controlled for polaris

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300