# NSN 5945-00-823-2606

Electrical Solenoid - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5945-00-823-2606



**Body Style:** 

O-frame

## Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.031 inches

#### **Body Length:**

1.765 inches

#### **Body Width:**

0.781 inches

#### **Body Height:**

0.781 inches

#### Case Material:

Steel

#### Case Surface Treatment:

Cadmium

#### **Environmental Protection:**

Any acceptable

## Unthreaded Mounting Hole Diameter:

0.187 inches

### Maximum Operating Temp:

75.0 degrees celsius

## Actuator Length:

0.312 inches

### Actuator Diameter:

0.282 inches

#### Inclosure Type:

Partially enclosed, shell

### Magnetic Coil Quantity:

1

## Electrical Resistance:

40.80 ohms

## Duty Type:

Intermittent

## **Terminal Location:**

Both sides on end opposite actuator

## Voltage Rating In Volts:

30.0 dc

## Mounting Facility Type And Quantity:

2 unthreaded hole

## **Current Rating:**

1.600 amperes

# NSN 5945-00-823-2606

Electrical Solenoid - Page 2 of 2



Actuator Stroke Type: Pull Linear Force Delivered: 1.80 pounds Power Takeoff Connection Type: Plain-drilled Energizing Stroke Maximum Length: 0.125 inches **Mounting Facility Pattern:** Two position diagonal Terminal Type And Quantity: 2 tab, solder lug Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A134a0