# NSN 5945-00-826-6640

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-826-6640

#### **Thread Class:**

2a single mounting facility

#### **Overall Length:**

1.760 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.218 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

1.218 inches single mounting facility

#### **Overall Height:**

2.180 inches

#### **Overall Width:**

1.640 inches

**Environmental Protection:** 

Hermetic

#### Winding Quantity:

# **Coil Quantity:**

1

1

#### Winding Dc Resistance Rating:

275.0 ohms single winding

**Duty Type:** 

Continuous

#### Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

#### **Thread Size:**

0.138 inches single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### **Nonpile-up Main Contact Arrangement:**

4 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

90.0 milliamperes dc single winding

#### Nonpile-up Auxiliary Contact Arrangement:

4 pole, single throw, normally open, momentary action

#### Auxiliary Contact Maximum Voltage Rating In Volts:

26.5 dc

#### **Operating Voltage Rating And Type At Specificationified Temp:**

26.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

#### Main Contact Maximum Voltage Rating In Volts:

110.0 ac

NSN 5945-00-826-6640

Electromagnetic Relay - Page 2 of 2



#### Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes dc resistive load

#### **Thread Series Designator:**

Unc single mounting facility

## Terminal Type And Quantity:

26 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300