# NSN 5945-00-827-4524

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-827-4524

## **Thread Class:**

2a single mounting facility

## **Overall Length:**

1.000 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

0.984 inches single mounting facility

## **Overall Height:**

1.960 inches

#### **Overall Width:**

1.000 inches

## **Environmental Protection:**

Hermetic

## **Unthreaded Mounting Hole Diameter:**

0.093 inches single mounting facility

## Winding Quantity:

1

## Coil Quantity:

1

## Winding Dc Resistance Rating:

800.0 ohms single winding

## **Duty Type:**

Continuous

## Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

## Pile-up Main Contact Form Arrangement:

2c

## Pile-up Auxiliary Contact Form Arrangement:

2c

## Thready Qty Per Inch (tpi):

40 single mounting facility

## Thread Size:

0.112 inches single mounting facility

#### **Mounting Facility Pattern:**

In-line single mounting facility

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## **Operating Current Rating And Type:**

1.8 milliamperes dc single winding

## Nonpile-up Auxiliary Contact Arrangement:

2 pole, double throw, one position momentary

## Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

## NSN 5945-00-827-4524

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac

## **Thread Series Designator:**

Unc single mounting facility

## **Terminal Type And Quantity:**

8 wire hook all functions

Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A03300