## NSN 5945-00-827-4524

Electromagnetic Relay - Page 1 of 2

**Thread Class:** 

**Overall Length:** 

2a single mounting facility



View Online at https://aerobasegroup.com/nsn/5945-00-827-4524

1.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.984 inches single mounting facility **Overall Height:** 1.960 inches **Overall Width:** 1.000 inches **Environmental Protection:** Hermetic **Unthreaded Mounting Hole Diameter:** 0.093 inches single mounting facility Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 800.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Pile-up Main Contact Form Arrangement:** 2c **Pile-up Auxiliary Contact Form Arrangement:** Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** In-line single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 1.8 milliamperes dc single winding **Nonpile-up Auxiliary Contact Arrangement:** 2 pole, double throw, one position momentary **Auxiliary Contact Maximum Voltage Rating In Volts:** 28.0 dc

## NSN 5945-00-827-4524

Electromagnetic Relay - Page 2 of 2



## Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:** 

115.0 ac

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A03300