## NSN 5945-00-827-7205

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-827-7205

| view Offilitie at https://aerobasegroup.com/nsi//0340-00-027-7200             |
|---|
| Thread Class:   |
| 2a single mounting facility   |
| Overall Length:   |
| 0.800 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length:     |
| 0.488 inches single mounting facility   |
| Center To Center Distance Between Mounting Facilities Parallel To Width:      |
| 0.220 inches single mounting facility   |
| Overall Height:   |
| 0.900 inches  |
| Overall Width:  |
| 0.400 inches  |
| Environmental Protection:   |
| Hermetic  |
| Winding Quantity:   |
| 1   |
| Coil Quantity:  |
| 1   |
| Winding Dc Resistance Rating:   |
| 1.2 kilohms single winding  |
| Duty Type:  |
| Continuous  |
| Mounting Facility Type And Quantity:  |
| 2 threaded stud single mounting facility                                      |
| Pile-up Main Contact Form Arrangement:  |
| 2c  |
| Features Provided:  |
| Polarized   |
| Thready Qty Per Inch (tpi):   |
| 40 single mounting facility   |
| Thread Size:  |
| 0.112 inches single mounting facility   |
| Mounting Facility Pattern:  |
| Diagonal single mounting facility   |
| Main Contact Load Current Rating At Maximum Rated Voltage:                    |
| 500.0 milliamperes ac resistive load and 500.0 milliamperes dc resistive load |
| Main Contact Maximum Voltage Rating In Volts:                                 |
| 120.0 ac and 28.0 dc  |
| Thread Series Designator:   |
| Unc single mounting facility  |
| Terminal Type And Quantity:   |

8 pin all functions

## NSN 5945-00-827-7205

Electromagnetic Relay - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300