NSN 5945-00-827-7216

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-827-7216

Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.625 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.938 inches single mounting facility
Overall Height:
3.469 inches
Overall Width:
1.438 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
1.3 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
3 threaded stud single mounting facility
Pile-up Main Contact Form Arrangement:
3c
Storage Type:
General purpose warehouse
Features Provided:
Polarized
Cubic Measure:
8.106 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility

NSN 5945-00-827-7216

Electromagnetic Relay - Page 2 of 2

A03300



Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Triangle single mounting facility
Time Delay:
0.02 seconds fixed operate and release time
Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:
1.187 inches single mounting facility
Operating Voltage Rating And Type At Specificationified Temp:
48.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes ac resistive load and 500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
120.0 ac and 48.0 dc
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
11 pin all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: