NSN 5945-00-828-2515

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-00-828-2515

| Overall Length: |
|--|
| 1.840 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 0.438 inches single mounting facility |
| Overall Height: |
| 1.370 inches |
| Overall Width: |
| 1.370 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.171 inches single mounting facility |
| Frequency In Hertz: |
| 60.0 |
| Winding Quantity: |
| 1 |
| Coil Quantity: |
| 1 |
| Winding Dc Resistance Rating: |
| 2.86 kilohms single winding |
| Duty Type: |
| Intermittent |
| Mounting Facility Type And Quantity: |
| 2 unthreaded hole single mounting facility |
| Pile-up Main Contact Form Arrangement: |
| 1c |
| Mounting Facility Pattern: |
| In-line single mounting facility |
| Operating Current Rating And Type: |
| 10.0 milliamperes ac single winding |
| Operating Voltage Rating And Type At Specificationified Temp: |
| 115.0 volts ac 25 degrees celsius single winding |
| Main Contact Load Current Rating At Maximum Rated Voltage: |
| 5.0 amperes ac resistive load |
| Main Contact Maximum Voltage Rating In Volts: |
| 115.0 ac |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A03300 |