NSN 5945-00-828-8932

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-828-8932

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Thread Length:

0.250 inches single mounting facility

Overall Length:

1.468 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.562 inches single mounting facility

Overall Height:

0.895 inches

Overall Width:

1.032 inches

Environmental Protection:

Hermetic

Winding Quantity:

- - - - -

Coil Quantity:

2

Winding Dc Resistance Rating:

2.0 kilohms all windings

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Features Provided:

Polarized and latching contacts

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, both positions maintained

Time Delay:

0.02 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

NSN 5945-00-828-8932

Electromagnetic Relay - Page 2 of 2



Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

16 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300