## NSN 5945-00-829-6888

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-829-6888 **Thread Class:** 2a single mounting facility **Overall Length:** 2.500 inches **Center To Center Distance Between Mounting Facilities Parallel To Length:** 0.625 inches single mounting facility **Overall Diameter:** 0.625 inches **Environmental Protection:** Dustproof Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 8.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Features Provided:** Polarized Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** Two position in-line single mounting facility **Nonpile-up Main Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Operating Voltage Rating And Type At Specificationified Temp:** 3.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 500.0 dc **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 4 wire hook all functions

Shelf Life:

N/a

## NSN 5945-00-829-6888

Reed Relay - Page 2 of 2



			ıre:

--

Demilitarization:

No

Fiig:

A03300