NSN 5945-00-834-5430

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-834-5430

Overall Length:

3.704 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.187 inches single mounting facility

Overall Height:

3.200 inches

Overall Width:

3.080 inches

Unthreaded Mounting Hole Diameter:

0.173 inches single mounting facility

Frequency In Hertz:

400.0

Winding Quantity:

2

Coil Quantity:

2

Duty Type:

Continuous

Mounting Facility Type And Quantity:

5 unthreaded hole single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

6 pole, single throw, normally open, momentary action

Operating Current Rating And Type:

250.0 milliamperes dc all windings

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

2.500 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

20.0 amperes ac resistive load and 15.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

18.0 dc

Special Features:

3 terminals for coil; 1 for mechanical interlock; 6 for contacts

Terminal Type And Quantity:

10 screw all functions

Shelf Life:

N/a

Unit Of Measure:

NSN 5945-00-834-5430

Electromagnetic Relay - Page 2 of 2

Demilitarization:

No

Fiig:

A03300

