# NSN 5945-00-835-4996

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-835-4996

## Thread Class:

2a single mounting facility

## **Thread Direction:**

Right-hand single mounting facility

## Overall Length:

1.531 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.187 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.187 inches single mounting facility

### **Overall Height:**

2.187 inches

## **Overall Width:**

1.531 inches

## **Environmental Protection:**

## Hermetic and shock resistant

## Winding Quantity:

1

#### **Coil Quantity:**

1

### Duty Type:

Continuous

### Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

#### **Cubic Measure:**

5.126 cubic inches

### Thready Qty Per Inch (tpi):

32 single mounting facility

### Thread Size:

0.138 inches single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

### Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

#### Time Delay:

0.02 seconds fixed operate and release time

### Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac lamp load and 2.0 amperes dc lamp load

#### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

# NSN 5945-00-835-4996

Electromagnetic Relay - Page 2 of 2



**Thread Series Designator:** 

Unc single mounting facility

Terminal Type And Quantity:

14 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300