NSN 5945-00-835-5501

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-835-5501				
Overall Length:				
4.360 inches				
Center To Center Distance Between Mounting Facilities Parallel To Length:				
0.750 inches single mounting facility				
Center To Center Distance Between Mounting Facilities Parallel To Width:				
2.880 inches single mounting facility				
Overall Height:				
3.090 inches				
Overall Width:				
3.250 inches				
Environmental Protection:				
Hermetic				
Unthreaded Mounting Hole Diameter:				
0.199 inches single mounting facility				
Contact Material:				
Gold				
Contact Surface Treatment:				
Cadmium plated and silver plated				
Frequency In Hertz:				
60.0				
Winding Quantity:				
1				
Coil Quantity:				
1				
Duty Type:				
Continuous				
Mounting Facility Type And Quantity:				
6 unthreaded hole single mounting facility				
Mounting Facility Pattern:				
Rectangular single mounting facility				
Nonpile-up Main Contact Arrangement:				
2 pole, double throw, one position momentary				
Time Delay:				
10.00 seconds adjustable release time and 200.00 seconds adjustable release time				
Operating Voltage Rating And Type At Specificationified Temp:				
120.0 volts ac 25 degrees celsius single winding				
Main Contact Load Current Rating At Maximum Rated Voltage:				
10.0 amperes ac resistive load				
Main Contact Maximum Voltage Rating In Volts:				
240.0 ac				
Energizing Element Power Rating:				

8.0 watts

NSN 5945-00-835-5501

Electromagnetic Relay - Page 2 of 2



Precious	Mate	rial And	d Location:

Contacts gold and contact surfaces silver

Precious Material:

Gold and silver

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300