NSN 5945-00-835-5501

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-835-5501

Overall Length:

4.360 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.750 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.880 inches single mounting facility

Overall Height:

3.090 inches

Overall Width:

3.250 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.199 inches single mounting facility

Contact Material:

Gold

Contact Surface Treatment:

Cadmium plated and silver plated

Frequency In Hertz:

60.0

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

6 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

10.00 seconds adjustable release time and 200.00 seconds adjustable release time

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

240.0 ac

Energizing Element Power Rating:

8.0 watts

NSN 5945-00-835-5501

Electromagnetic Relay - Page 2 of 2



Precious Material And Location:

Contacts gold and contact surfaces silver

Precious Material:

Gold and silver

Terminal Type And Quantity:

8 screw all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300