NSN 5945-00-839-5216

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-839-5216 **Thread Class:** 2a mounting facility bushing **Body Style:** Cylindrical frame **Body Diameter:** 1.470 mils and 1.530 centimeters **Body Length:** Between 1.970 inches and 2.030 inches **Case Material:** Steel **Case Surface Treatment:** Cadmium **Environmental Protection:** Any acceptable **Maximum Operating Temp:** 160.0 degrees fahrenheit **Fragility Factor:** Moderately rugged **Actuator Diameter:** Between 0.489 inches and 0.493 inches **Inclosure Type:** Fully enclosed **Magnetic Coil Quantity: Electrical Resistance:** 11.40 ohms **Duty Type:** Continuous **Terminal Location:** Top edge near both ends **Electric Power Rating:** 50.3 watts **Voltage Rating In Volts:** 30.0 dc **Mounting Facility Type And Quantity:**

1 threaded bushing **Current Rating:** 2.1 amperes **Cubic Measure:** 3.533 cubic inches Thready Qty Per Inch (tpi): 24 mounting facility bushing

NSN 5945-00-839-5216 Electrical Solenoid - Page 2 of 2



| Actuator Stroke Type: |
|--|
| Pull |
| Linear Force Delivered: |
| 3.00 pounds |
| Power Takeoff Connection Type: |
| Slotted |
| Energizing Stroke Maximum Length: |
| 0.278 inches |
| Thread Size: |
| 1.062 inches mounting facility bushing |
| Special Features: |
| Terminal block |
| Thread Series Designator: |
| Unef mounting facility bushing |
| Terminal Type And Quantity: |
| 2 solder stud |
| Specification Data: |
| 96124-502608 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A134a0 |
| |
| |