NSN 5945-00-843-4722

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-843-4722
Thread Class:
2a single mounting facility
Overall Length:
2.310 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.500 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
2.500 inches single mounting facility
Overall Height:
3.120 inches
Overall Width:
3.280 inches
Environmental Protection:
Hermetic
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
145.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Pile-up Main Contact Form Arrangement:
6c
Thready Qty Per Inch (tpi):
32 single mounting facility
Thread Size:
0.164 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Operating Current Rating And Type:
110.0 milliamperes ac single winding
Time Delay:
0.02 seconds adjustable operate time and 0.03 seconds adjustable operate time
Operating Voltage Rating And Type At Specificationified Temp:
445 O volta de OS de mana e delativa atrada vida dia m

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 300.0 milliamperes dc resistive load

NSN 5945-00-843-4722

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 120.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

20 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300