## NSN 5945-00-843-4723

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-843-4723

**Thread Class:** 2a single mounting facility **Overall Length:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.320 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 0.270 inches **Overall Width:** 2.000 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 150.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 4 threaded stud single mounting facility **Pile-up Main Contact Form Arrangement:** Зс Thready Qty Per Inch (tpi): 32 single mounting facility Thread Size: 0.138 inches single mounting facility **Mounting Facility Pattern:** Rectangular single mounting facility **Operating Current Rating And Type:** 170.0 milliamperes dc single winding Time Delay: 0.02 seconds adjustable operate time and 0.03 seconds adjustable operate time Operating Voltage Rating And Type At Specificationified Temp: 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage:

Main Contact Maximum Voltage Rating In Volts:

15.0 amperes ac resistive load and 800.0 milliamperes dc resistive load

115.0 ac and 120.0 dc

## NSN 5945-00-843-4723

Electromagnetic Relay - Page 2 of 2



Thread	<b>Series</b>	Design	ator

Unc single mounting facility

**Terminal Type And Quantity:** 

11 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300