

View Online at <https://aerobasegroup.com/nsn/5945-00-843-4724>

**Thread Class:**

2a single mounting facility

**Overall Length:**

1.970 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.437 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.375 inches single mounting facility

**Overall Height:**

3.250 inches

**Overall Width:**

1.970 inches

**Environmental Protection:**

Hermetic

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

1.0 kilohms single winding

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 threaded stud single mounting facility

**Pile-up Main Contact Form Arrangement:**

2c

**Thready Qty Per Inch (tpi):**

32 single mounting facility

**Thread Size:**

0.164 inches single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Operating Current Rating And Type:**

150.0 milliamperes dc single winding

**Time Delay:**

0.01 seconds adjustable release time and 0.02 seconds adjustable release time

**Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:**

1.437 inches single mounting facility

**Operating Voltage Rating And Type At Specificationified Temp:**

150.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

10.0 amperes ac resistive load and 300.0 milliamperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 120.0 dc

**Thread Series Designator:**

Unc single mounting facility

**Terminal Type And Quantity:**

8 pin all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300