NSN 5945-00-843-9155

Electrical Solenoid - Page 1 of 1

A134a0



View Online at https://aerobasegroup.com/nsn/5945-00-843-9155

| Center To Center Distance Between Mounting Facilities Parallel To Length: |
|---|
| 1.438 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 1.438 inches |
| Case Material: |
| Steel |
| Environmental Protection: |
| Any acceptable |
| Unthreaded Mounting Hole Diameter: |
| 0.188 inches |
| Magnetic Coil Quantity: |
| 2 |
| Electrical Resistance: |
| 11.90 ohms |
| Voltage Rating In Volts: |
| 115.0 ac |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Current Rating: |
| 4.5 amperes |
| Actuator Stroke Type: |
| Push |
| Linear Force Delivered: |
| 3.70 pounds |
| Power Takeoff Connection Type: |
| Plain-drilled |
| Energizing Stroke Maximum Length: |
| 1.000 inches |
| Mounting Facility Pattern: |
| Four position rectangular |
| Test Data Document: |
| 50040-173567 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; |
| excludes any specification, standard or other document that may be referenced in a basic governing drawing) |
| Terminal Type And Quantity: |
| 2 screw |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |