## NSN 5945-00-852-9489

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-852-9489
Thread Class:
2a single mounting facility
Overall Length:
4.190 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.375 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.000 inches single mounting facility
Overall Height:
2.720 inches
Overall Width:
2.070 inches
Environmental Protection:
Hermetic
End Application:
Type no. An/msq-28
Winding Quantity:
2
Coil Quantity:
2
Winding Dc Resistance Rating:
235.0 ohms first winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Pile-up Main Contact Form Arrangement:
2c
Features Provided:
Latching contacts
Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Operating Current Rating And Type:
2.0 amperes dc second winding

### Time Delay:

0.02 seconds fixed operate and release time

### **Operating Voltage Rating And Type At Specificationified Temp:**

29.0 volts dc 25 degrees celsius all windings

#### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

# NSN 5945-00-852-9489

Electromagnetic Relay - Page 2 of 2



ng In	Volts:
ı	ng In

115.0 ac and 28.0 dc

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

10 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300