NSN 5945-00-865-0375

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-865-0375 **Thread Class:** 2b single mounting facility **Thread Direction:** Right-hand single mounting facility **Overall Length:** 1.156 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.438 inches single mounting facility **Center To Center Distance Between Mounting Facilities Parallel To Width:** 0.375 inches single mounting facility **Overall Height:** 1.062 inches **Overall Width:** 0.688 inches **Case Material:** Steel, corrosion resisting **Environmental Protection:** Hermetic **Fragility Factor:** Moderately rugged **Contact Material:** Silver Winding Quantity: **Purpose For Which Designed:** General **Coil Quantity:** Winding Dc Resistance Rating: 108.0 ohms single winding **Duty Type:** Continuous **Arc Quenching Method:** Air **Mounting Facility Type And Quantity:** 4 threaded hole single mounting facility Storage Type: General purpose warehouse **Cubic Measure:** 0.844 cubic inches

Thready Qty Per Inch (tpi):

40 single mounting facility

NSN 5945-00-865-0375

Electromagnetic Relay - Page 2 of 2



Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.015 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
12.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
3.0 amperes ac resistive load and 3.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 26.5 dc
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
8 tab, solder lug all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A03300