## NSN 5945-00-869-0802

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-869-0802

## **Overall Length:**

6.500 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

5.250 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

5.250 inches single mounting facility

**Overall Height:** 

5.562 inches

**Overall Width:** 

**7.938** inches

**Unthreaded Mounting Hole Diameter:** 

0.312 inches single mounting facility

Frequency In Hertz:

Between 50.0 and 60.0

Winding Quantity:

2

**Coil Quantity:** 

2

Winding Dc Resistance Rating:

4.86 ohms all windings

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

4 unthreaded hole single mounting facility

**Features Provided:** 

Latching contacts

**Mounting Facility Pattern:** 

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

**Operating Current Rating And Type:** 

2.0 amperes ac all windings

**Nonpile-up Auxiliary Contact Arrangement:** 

4 pole, double throw, one position momentary

**Auxiliary Contact Maximum Voltage Rating In Volts:** 

250.0 ac

Operating Voltage Rating And Type At Specificationified Temp:

70.0 volts ac 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

25.0 amperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

17000.0 ac

## NSN 5945-00-869-0802

Electromagnetic Relay - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

22 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300