

View Online at <https://aerobasegroup.com/nsn/5945-00-879-0471>

Thread Class:

2a mounting facility stud

Body Style:

Base end actuator

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.719 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.719 inches

Body Diameter:

1.156 inches

Body Height:

0.719 inches

Case Material:

Steel

Case Surface Treatment:

Cadmium and chromium

Environmental Protection:

Any acceptable

Actuator Diameter:

0.156 inches

Inclosure Type:

Fully enclosed

Magnetic Coil Quantity:

1

Electrical Resistance:

222.00 ohms

Duty Type:

Continuous

Terminal Location:

Circumference

Voltage Rating In Volts:

45.0 dc

Mounting Facility Type And Quantity:

2 threaded stud

Current Rating:

410.0 milliamperes

Torque Rating And Type:

0.12 inch-pounds starting and 0.24 inch-pounds end

Actuator Stroke Type:

Rotary

Power Takeoff Connection Type:

Plain

Thread Size:

0.099 inches mounting facility stud

Mounting Facility Pattern:

Two position in-line

Rotation Direction And Energizing Stroke In Angular Deg:

25.0 counterclockwise

Test Data Document:

84955-k673830-1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Thread Series Designator:

Unc mounting facility stud

Terminal Type And Quantity:

2 wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0