NSN 5945-00-880-8159

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-880-8159

Overall Length:

1.330 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches single mounting facility

Overall Height:

Between 0.375 inches and 0.440 inches

Overall Width:

Between 0.755 inches and 1.062 inches

Case Material:

Nickel and silver

Environmental Protection:

Hermetic and shock resistant and vibration resistant

Unthreaded Mounting Hole Diameter:

0.120 inches single mounting facility

Contact Material:

Silver

Contact Surface Treatment:

Gold

Winding Quantity:

1

Coil Quantity:

.

Winding Dc Resistance Rating:

1.84 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.006 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28 0 dc

Energizing Element Power Rating:

150.0 milliwatts

NSN 5945-00-880-8159

Electromagnetic Relay - Page 2 of 2



Precious	Material And	Location:
riecious	IVIALEITAI ATTU	LUCALIUII.

Contacts and case silver and contact surfaces gold

Precious Material:

Gold and silver

Terminal Type And Quantity:

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300