# NSN 5945-00-880-8159

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-880-8159

# **Overall Length:**

1.330 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

1.062 inches single mounting facility

# **Overall Height:**

Between 0.375 inches and 0.440 inches

#### Overall Width:

Between 0.755 inches and 1.062 inches

#### **Case Material:**

Nickel and silver

#### **Environmental Protection:**

Hermetic and shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches single mounting facility

#### **Contact Material:**

Silver

#### **Contact Surface Treatment:**

Gold

# **Winding Quantity:**

1

# **Coil Quantity:**

.

#### Winding Dc Resistance Rating:

1.84 kilohms single winding

# **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

In-line single mounting facility

# **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

# Time Delay:

0.006 seconds fixed operate and release time

# **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes dc resistive load

# **Main Contact Maximum Voltage Rating In Volts:**

28 0 dc

# **Energizing Element Power Rating:**

150.0 milliwatts

# NSN 5945-00-880-8159

Electromagnetic Relay - Page 2 of 2



Precious	<b>Material And</b>	Location:
riecious	IVIALEITAI ATTU	LUCALIUII.

Contacts and case silver and contact surfaces gold

**Precious Material:** 

Gold and silver

**Terminal Type And Quantity:** 

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A03300