# NSN 5945-00-883-1932

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-883-1932

# **Overall Length:**

Between 0.790 inches and 0.810 inches

# **Overall Height:**

Between 0.390 inches and 0.410 inches

### Overall Width:

Between 0.390 inches and 0.410 inches

### **Environmental Protection:**

Heat resistant and fungus resistant and hermetic and salt spray resistant and shock resistant and submersible and vibration resistant

# Fragility Factor:

Moderately rugged

#### **Contact Material:**

Silver

Contact Surface Treatment:

Gold

#### Winding Quantity:

1

#### **Purpose For Which Designed:**

General

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

360.0 ohms single winding and 440.0 ohms single winding

#### Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

#### Storage Type:

General purpose warehouse

#### Cubic Measure:

0.136 cubic inches

# Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Time Delay:

0.01 seconds fixed operate time

# Operating Voltage Rating And Type At Specificationified Temp:

20.0 volts dc 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

315.0 milliamperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

17.5 dc

#### Precious Material:

Gold and silver

# NSN 5945-00-883-1932

Electromagnetic Relay - Page 2 of 2



# Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300