

View Online at <https://aerobasegroup.com/nsn/5945-00-889-0863>

Thread Class:

2a single mounting facility

Overall Length:

4.280 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.800 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.200 inches single mounting facility

Overall Height:

0.820 inches

Overall Width:

0.910 inches

Environmental Protection:

Hermetic

Frequency In Hertz:

60.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

5.0 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

40 single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

2.8 milliamperes ac single winding

Time Delay:

0.01 seconds fixed operate and release time

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300