## NSN 5945-00-889-1289

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-889-1289

**Thread Class:** 2a single mounting facility **Overall Length:** 1.280 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.790 inches single mounting facility and 0.810 inches single mounting facility **Overall Height:** 0.410 inches **Overall Width:** 0.910 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 5.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility Thready Qty Per Inch (tpi): 40 single mounting facility **Thread Size:** 0.112 inches single mounting facility **Mounting Facility Pattern:** Diagonal single mounting facility **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary **Operating Current Rating And Type:** 2.8 milliamperes dc single winding Time Delay: 0.100 seconds fixed release time **Operating Voltage Rating And Type At Specificationified Temp:** 26.5 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc inductive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc

**Thread Series Designator:** Unc single mounting facility

## NSN 5945-00-889-1289

Electromagnetic Relay - Page 2 of 2



|  | Ī | erminal | Type | And | Quantit | y: |
|--|---|---------|------|-----|---------|----|
|--|---|---------|------|-----|---------|----|

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300