

View Online at <https://aerobasegroup.com/nsn/5945-00-890-8228>

Terminal Quantity:

7

Terminal Type:

Solder lug/stud

Mounting Provision:

Studs

Overall Length:

2.239 inches

Overall Diameter:

Between 0.745 inches and 0.763 inches

Case Material:

Metal

Operating Temperature Range:

-65.0/+100.0 degrees celsius

Mounting Facility Quantity:

2

Mounting Configuration:

Two studs spaced 0.480 in. C to c

Coil Type:

Isolated

Contact Arrangement:

Single pole, double throw, open neutral

Input Voltage Rating:

6.3 ac pounds per hour wet

Unit Type:

Electromechanical

Mounting Facility Size:

0.138 in. Diameter by 0.364 in. Lg

Mounting Method:

Stud

Hermetically Sealed Feature:

Provided

Input Current Rating:

30.0 milliamperes

Drive Voltage Relationship To Input Voltage:

Equal

Output/input Voltage Relationship:

Equal

Reed Type:

Dual

Contact Operation Sequence:

Makes before breaks

Contact Voltage Rating:

100.0 dc pounds per hour with retaining chain

Contact Current Rating:

2.0 milliamperes

Phase Angle In Deg:

65.0

Dwell Time Rating In Deg:

Between 130.0 and 165.0

Plug In Mounting Feature:

Not provided

Base Connection Wiring Style:

7 pin standard tube

Connection Location:

Top

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T320-k