# NSN 5945-00-901-9815

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-901-9815

Overall Length:		
1.360 inches		
Center To Center Distance Between Mounting Facilities Parallel To Length:		
1.062 inches single mounting facility		
Overall Height:		
0.360 inches		
Overall Width:		
1.020 inches		
Case Material:		
Metal		
Environmental Protection:		
Hermetic		
Unthreaded Mounting Hole Diameter:		
0.125 inches single mounting facility		
Fragility Factor:		
Moderately rugged		
Contact Material:		
Silver		
Contact Surface Treatment:		
Gold		
Winding Quantity:		
1		
Purpose For Which Designed:		
General		
Coil Quantity:		
1		
Winding Dc Resistance Rating:		
120.0 ohms single winding		
Duty Type:		
Continuous		
Mounting Facility Type And Quantity:		
2 unthreaded hole single mounting facility		
Storage Type:		
General purpose warehouse		
Cubic Measure:		
0.499 cubic inches		
Mounting Facility Pattern:		
In-line single mounting facility		
Nonpile-up Main Contact Arrangement:		
2 pole, double throw, one position momentary		
Operating Current Rating And Type:		

44.0 milliamperes dc single winding

## NSN 5945-00-901-9815

Electromagnetic Relay - Page 2 of 2



Time	$\Box$	21/-
IIIIIE	Del	ıαv.

0.005 seconds fixed operate and release time

## **Operating Voltage Rating And Type At Specificationified Temp:**

12.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Precious Material And Location:**

Contacts silver and contact surfaces gold

**Precious Material:** 

Silver and gold

#### **Terminal Type And Quantity:**

8 wire hook all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A03300