## NSN 5945-00-902-0740

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-902-0740

## **Overall Length:**

5.210 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

1.812 inches single mounting facility

#### **Overall Height:**

1.520 inches

**Overall Width:** 

2.190 inches

**Environmental Protection:** 

Hermetic

**Unthreaded Mounting Hole Diameter:** 

0.173 inches single mounting facility

#### **Frequency In Hertz:**

60.0

## Winding Quantity:

1

#### Coil Quantity:

1

## Winding Dc Resistance Rating:

358.0 ohms single winding

## Duty Type:

Continuous

## Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

45.0 milliamperes ac single winding

#### Time Delay:

5.000 seconds adjustable release time and 180.000 seconds adjustable release time

## Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac resistive load and 750.0 milliamperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

240.0 ac and 110.0 dc

#### **Terminal Type And Quantity:**

8 pin all functions

# NSN 5945-00-902-0740

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

