NSN 5945-00-909-7772

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-909-7772
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Thread Length:
0.375 inches single mounting facility
Overall Length:
3.781 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.875 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.125 inches single mounting facility
Overall Height:
2.375 inches
Overall Width:
1.700 inches
Case Material:
Metal
Environmental Protection:
Shock resistant and vibration resistant
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
50.0 kilohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
15.266 cubic inches
Thready Qty Per Inch (tpi):

32 single mounting facility

NSN 5945-00-909-7772

Electromagnetic Relay - Page 2 of 2



Thread Size:
0.138 inches single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.03 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
1.0 amperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 26.5 dc
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
1 connector, receptacle all functions
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A03300