# NSN 5945-00-910-2846

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-910-2846

#### **Thread Class:**

2a single mounting facility

#### **Overall Length:**

1.125 inches

## **Overall Height:**

1.593 inches

#### **Overall Width:**

0.875 inches

#### **Environmental Protection:**

Hermetic

### Contact Material:

Gold

#### **Contact Surface Treatment:**

Silver flash

#### **Frequency In Hertz:**

### 50.0 or 60.0

Winding Quantity:

1

#### Coil Quantity:

1

## Winding Dc Resistance Rating:

3.9 kilohms single winding

#### **Duty Type:**

Continuous

## Mounting Facility Type And Quantity:

1 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

48 single mounting facility

#### Thread Size:

0.099 inches single mounting facility

# Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

## **Operating Current Rating And Type:**

11.0 milliamperes ac single winding

# Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

# Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

# Precious Material And Location:

Contact gold and contact surface silver

# NSN 5945-00-910-2846

Electromagnetic Relay - Page 2 of 2

Precious Material:

Gold and silver

**Thread Series Designator:** 

Unc single mounting facility

Terminal Type And Quantity:

4 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

