NSN 5945-00-911-8078

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-911-8078

6.125 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

5.125 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

4.625 inches single mounting facility

Overall Height:

17.625 inches

Overall Width:

5.375 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.281 inches single mounting facility

Frequency In Hertz:

60.0

Winding Quantity:

.....

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

Time Delay:

0.06 seconds fixed operate time

Nonpile-up Auxiliary Contact Arrangement:

1 pole, double throw, one position momentary

Auxiliary Contact Maximum Voltage Rating In Volts:

250.0 ac

Operating Voltage Rating And Type At Specificationified Temp:

70.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

100.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

4000.0 dc

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

15.0 amperes ac resistive load

NSN 5945-00-911-8078

Electromagnetic Relay - Page 2 of 2



Terminal Type And Quantity	Terminal	Type	And	Quantity	/ :
----------------------------	----------	-------------	-----	----------	------------

7 solder stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300