

View Online at <https://aerobasegroup.com/nsn/5945-00-913-2747>

Overall Length:

8.440 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

7.875 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

2.250 inches single mounting facility

Overall Height:

2.950 inches

Overall Width:

2.810 inches

Environmental Protection:

Dustproof

Unthreaded Mounting Hole Diameter:

0.221 inches single mounting facility and 0.231 inches single mounting facility

Winding Quantity:

2

Coil Quantity:

2

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Features Provided:

Latching contacts

Mounting Facility Pattern:

Rectangular single mounting facility

Operating Current Rating And Type:

500.0 milliamperes dc all windings

Nonpile-up Auxiliary Contact Arrangement:

2 pole, single throw, normally open, momentary action

Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Auxiliary Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes dc resistive load

Special Features:

One terminal each coil common to main contact terminals

Terminal Type And Quantity:

12 threaded stud all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300